


Permit # _____



**STOVE (UBC "97")
PERMIT APPLICATION**
Schedule inspection by 3:00 P.M. day prior
(303) 621-3140

Permit Fee \$100.00

Property Owner _____ Phone _____ Date _____

Mailing Address _____
Street / PO Box City State Zip

Address of Property _____

Subdivision _____

Parcel ID _____ Tax Dist _____ BOCC _____ Fire _____ School _____

Subdiv Code _____ Lot _____ Sec _____ Tw n _____ Rng _____ #Acres _____ Zone _____

- Double wall stove pipe = 9"
- Single wall stove pipe = 18"
- Double wall insulation pipe or triple wall chimney pipe = 2"
- Distance from stove to wall – if no wall protection + 36". Stove can be 12" from wall if 1" wall space is provided behind wall protection.
- Distance from floor = 6"
- Floor protection = concrete, tile or brick, must be 18" on side and 20" on front
- Grate must be provided for burning coal
- Minimum 2" clearance between chimney and combustible material.
- Stoves should be placed as close as possible to chimney.
- Each stove or fireplace must have a separate flue.
- Inform insurance company of stove and check their specifications, if any.

Comments: _____

Approved this Month _____ Day _____ Year _____ Expires this Month _____ Day _____ Year _____

ELBERT COUNTY BUILDING INSPECTOR

X

APPLICANT SIGNATURE

INSPECTION RECORD

Final Approval Date _____

ELBERT COUNTY BUILDING INSPECTOR